

MSDS 4800DW Revision No 003

Prep. Date November 10, 2006

Page 1 of 3

MATERIAL SAFETY DATA SHEET

Product Identifier Firestop 4800DW

Product Use Fire and Smoke Stop Caulk and Sealant

Manufacturer Passive Fire Protection Partners, 1412 Derwent Way, Delta, BC V3M 6H9

Emergency Number (800) 810 - 1788

INGREDIENT INFORMATION

Ingredient	CAS Number	% (wt.)	LC ₅₀ (rat)	LD ₅₀ (rat)	TLV	STEL
Water	7732-18-5	< 25	N/A	N/A	N/E	N/E
Vinyl Acetate Monomer	108-05-4	< 0.2	$11400 \text{ mg/m}^3/4\text{H}$	2900 mg/Kg	10 ppm	N/A
Vinyl Acetate Polymers	Not disclosed	< 40	N/A	N/A	N/A	N/A
Formaldehyde	50-00-0	< 40 ppm	250-478 ppm/4H	100 mg/Kg	N/A	2 ppm
Calcium Carbonate	1317-65-3	< 50	N/A	N/A	N/A	N/E
Color Pigment	1309-37-1	< 1	N/A	N/A	N/A	N/A
Auxiliary Chemicals	N/A	< 5	N/A	N/A	N/A	N/A

PHYSICAL PROPERTIES

Appearance / Physical State	Red, viscous compound	Specific Gravity (@25€)	1.40 - 1.50
Odour	Mild odour	Evaporation Rate	< 1
Odour Threshold	Slightly aromatic odour	Boiling Point (C)	> 100
Vapour Pressure (mm Hg)	18.51880	Freezing Point (C)	0
Vapour Density (Air = 1)	of Water vapor	pН	8 - 9
Coefficient of H ₂ O/Oil Distrib	Not determined	VOC contents (g/L)	53.9

FIRE AND EXPLOSION DATA

Flammability No

Means of Extinction Normal fire fighting procedures should be followed to avoid inhalation of smokes

and gases.

Special Fire-fighting Procedures Firefighters should wear the usual protective gear use self-contained breathing

apparatus.

Auto-ignition Temperature (C)

Flash Point (C) / Method

Upper Flammable Limit (%, Volume)

Lower Flammable Limit (%, Volume)

N/A

Sensitivity to Mechanical Impact

No

Sensitivity to Static Discharge

No

Hazardous Combustion ProductsCarbon Monoxide and/or Carbon Dioxide

REACTIVITY DATA

Stability Stable at normal condition

Condition of Reactivity Contact with incompatible substances

Incompatible Materials Reacts with strong acids and liberates carbon dioxide

Hazardous Decomposition Products

Dried films forced to burn will produce carbon monoxide, carbon dioxide and

hydrocarbon oxidation products.



4800DW 003 MSDS Revision No

November 10, 2006 2 of 3

Prep. Date Page

	TOXICOLOGICAL PROPERTIES						
Routes of Exposure	Skin contact Skin absorption Eye contact Inhalation Ingestion						
Effects of Acute Exposure	Skin and eye irritation may occur after contact with the product.						
to Product							
Effects of Chronic	None known						
Exposure to Product							
Exposure Limits	10 ppm for vinyl acetate monomer (ACGIH)						
Irritancy of Product	Slight on skin and eyes						
Sensitization of Product	None known						
Carcinogenicity	OSHA, NTP, and ACGIH have not classified this product as a carcinogen. However, Vinyl						
Caremogenicity	Acetate is identified by IARC as a potential carcinogen on testing on laboratory animals. But						
	there is no evidence that it has caused cancer in human.						
TF: 4							
Teratogenicity	None known						
Reproductive Toxicity	None known						
FIRST AID MEASURES							
Eye Contact	Flush with large quantities of water gently for 15 minutes and get medical attention.						
Skin Contact	Wash with soap and water immediately.						
Inhalation	Remove affected person away from source of exposure to fresh air and get medical attention						
_	IMMEDIATELY						
Ingestion	Get medical attention IMMEDIATELY.						
	PREVENTIVE MEASURES						
Engineering Controls	General ventilation is recommended during normal use.						
Personal Protective	Not generally required during normal use and handling.						
Equipment							
Eye Protection (Specify)	Face shield or chemical goggles were recommended.						
Skin Protection (Specify)	Chemical resistant nitrile, neoprene or rubber gloves were recommended if contact to the product						
	directly.						
Respiratory (Specify)	Respiratory was recommended if the product was installed in poorly ventilated areas.						
Other							
	PRECAUTION FOR SAFE HANDLING AND USE						
Handling Procedure and	N/A						
Equipment							
Storage Requirement	Material should be kept in a closed canteens and stored between $4 - 32\mathbb{C}$ (40 $-90\mathbb{F}$)						
Spill, Leak or Releases	Wear protective equipment during cleanup.						
Waste Disposal	Care should be taken to ensure that the material or its containers and disposed of in an approved						
•	facility, state, provincial and local regulations.						
Special Shipping	DO NOT FREEZE						
Instructions							
REGULATION INFORMATION							
WHMIS	Not controlled						
HMIS	Health 0, Flammability 0, Reactivity 0						
TDG Regulation	Not classified as a hazardous material.						
TSCA	All ingredients of this product are on the inventory list.						
DSL	All ingredients of this product are on the list.						
	mbrane or min broader are on me non						



MSDS 4800DW Revision No 003

Prep. Date November 10, 2006

Page 3 of 3

PREPARATION INFORMATION

Prepared by Chemical Laboratory, Passive Fire Protection Partners

Preparation Date November 10, 2006 Telephone (604) 515-1788

Internet Address
Abbreviations Used

http://www.firestop.com
(wt.) = Weight Percentage

ACGIH = American Conference of Governmental Industrial Hygienists

CAS Number = Chemical Abstracts Series Number

DSL = Domestic Substance List in Canada

 $\mathbf{H} = \mathbf{Hours}$

HMIS = Hazardous Material Identification System **IARC** = International Agency for Research on Cancer

 LC_{50} = Lethal Concentration, 50%

 LD_{50} = Lethal Dose, 50%

MSHA = Mine Safety and Health Administration

N/A = Not Applicable or Not Available

N/E = None Established

NIOSH = The National Institute for Occupational Safety and Health

NTG = National Toxicology Program

OSHA = The Occupational Safety and Administration

STEL = Short Term Exposure Limit

TDG = Transportation of Dangerous Goods

TLV = Threshold Limit Value

TSCA = Toxic Substance Control Act in US

VOC = Volatile Organic Compounds

WHMIS = Workplace Hazardous Material Identification System

This information is provided in good faith and is correct to the best of PFP Partners knowled ge as of the date hereof; however, PFP Partners makes no representation as to its completeness or accuracy. Customers are encouraged to make their own determination as to the suitability of this product for their purpose prior to use. PFP Partners disclaims responsibility to damages of any kind resulting from the use of this information. THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THIS INFORMATION OR TO THE PRODUCT IT DESCRIBES.