

Material Safety Data Sheet

PERMABOND LH056

Revision Number: 3 Issue date: 03/07/24

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: PERMABOND LH056 Telephone: 732-868-1372

Product Type: Anaerobic Adhesive/Sealant

Company: PERMABOND LLC

14 Robinson Street Emergency telephone:

Pottstown, PA 19464 Medical: 866-827-6282
USA Transport: 1-800-640-7599
Website: www.permabond.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

HMIS:

Physical state:Liquid/PasteHEALTH:2Color:WhiteFLAMMABILITY:1Odor:Mild acrylic odorPHYSICAL HAZARD:1

Personal Protection: See Section 8

WARNING:

CAUSES EYE IRRITATION MAY CAUSE SKIN IRRITATION

MAY CAUSE ALLERGIC SKIN REACTION

MAY CAUSE RESPIRATORY TRACT IRRITATION

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects

Inhalation: May cause respiratory tract irritation.

Skin contact: May cause allergic skin reaction. May cause skin irritation.

Eye contact: Contact with eyes will cause irritation.

Ingestion: May be harmful if swallowed. May cause gastrointestinal tract irritation

if swallowed.

Existing conditions aggravated by

exposure:

Skin, eye and respiratory disorders.

This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

See Section 11 for additional toxicological information.



3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components CAS NUMBER CONCENTRATION (%)

Hydroxyalkyl Methacrylate 27813-02-1 5 – 15

4. FIRST AID MEASURES

Inhalation: Move to fresh air. If symptoms develop and persist, get medical

attention.

5. FIRE-FIGHTING MEASURES

Skin contact: Wash with soap and water. Remove contaminated clothing and shoes.

Wash clothing before reuse. Get medical attention if symptoms occur.

Eye contact: Flush with plenty of water, preferably, lukewarm water for at least 15

minutes, holding eyelids open all the time. Get medical attention.

Ingestion: Do not induce vomiting. Keep individual calm and get medical

attention. Never give anything by mouth to an unconscious person.

Flash point: >93.3°C (199.94°F) Tagliabue closed cup

Autoignition temperature: Not available Flammable/Explosive limits-lower %: Not available Flammable/Explosive limits-upper %: Not available

Extinguishing media: Foam, dry chemical or carbon dioxide.

Special fire fighting procedures: Wear self-contained breathing apparatus and full protective clothing

Unusual fire or explosion hazards: Not expected. Uncontrolled polymerization may occur at high

temperatures

Hazardous combustion products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection equipment recomended in section 8, isolate the hazard area and deny entry to unnecessary unprotected individuals.

Environmental precautions: Prevent product from entering drains or open waters.

Clean-up methods: Remove all ignition sources. Ensure adequate ventilation. Soak up with

inert absorbent material. Store in a partly filled, closed container until

disposal.



7. HANDLING AND STORAGE

Handling: Prevent contact with eyes, skin and clothing. Do not breathe vapor

and mist. Wash thoroughly after handling. Keep away from heat,

spark and flame. Use only with adequate ventilation.

Storage: Storage stora

For safe storage, store between 5°C and 25°C (41°F and 77°F) in

unopened container.

Incompatible products: Refer to Section 10.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employees should complete an assessment of all workplaces to determine the need for and selection of proper exposure controls and protective equipment before each task is started.

Hazardous components ACGIH TLV OSHA PEL AIHA WEEL OTHER

1 ppm TWA

Hydroxyalkyl Methacrylate None None 3 ppm STEL

Engineering controls: No specific ventilation requirements noted, but forced ventilation may

still be necessary if concentrations exceed established exposure

limits.

Respiratory protection: Use NIOSH approved respirator if there is potential to exceed

exposure limit(s).

Skin protection: Use impermeable gloves and protective clothing as necessary to

prevent skin contact. Neoprene gloves. Butyl rubber gloves. Natural

rubber gloves.

Eye/face protection: Safety goggles or safety glasses with side shields.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Color: White

Odor: Mild acrylic odor Odor Threshold: Not available

Vapor pressure: Less than 5 mm Hg at 24°C (75°F)

pH: Not applicable

Boiling point/range: Greater than 149°C (300°F)

Melting point/range: Not available



Specific gravity: 1.1

Vapor density: Not available Flash Point: >93.3 °C (199.9°F)

Flammable/Explosive Limits (lower) Not available
Flammable/Explosive Limits (upper) Not Available
Evaporation rate: Not available

Solubility in water: Slight

Partition coefficient (n-

octanol/water):Not availableVOC content9.5 g/L

10. STABILITY AND REACTIVITY

StabilityStable.Hazardous polymerization:Will not occur.

Hazardous decomposition products: Oxides of carbon. Oxides of nitrogen. Oxides of sulfur. Irritating

organic vapors.

Incompatibility: Strong oxidizing agents, reducing agents. Acids. Bases. Peroxides.

Amines. Free radical polymerizing catalysts.

Conditions to avoid: Heat, flames, sparks and other sources of ignition. Keep away from

incompatible materials

11. TOXICOLOGICAL INFORMATION

Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Hydroxyalkyl Methacrylate	No	No	No

Hazardous components	Health Effects/Target Organs	
Hydroxyalkyl Methacrylate	Allergen, irritant	

12. ECOLOGICAL INFORMATION

Ecological information: Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental

regulations.

EPA hazardous waste number: Not a RCRA hazardous waste.



14. TRANSPORT INFORMATION

The shipment information in this section is for non-bulk packaging. Shipping classification might be different for bulk packaging.

U.S. Department of Transportation Ground (49 CFR):

Proper shipping name: Unrestricted

Hazard class or division:
Identification number:
None
Packing group:
None

International Air Transportation (ICAO/IATA):

Proper shipping name:
Hazard class or division:
Identification number:
Packing group:
Unrestricted
None
None

WaterTransportation (IMO/IMDG):

Proper shipping name: Unrestricted

Hazard class or division:NoneIdentification number:NonePacking group:NoneMarine pollutant:None

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the

Toxic Substances Control Act Inventory.

TSCA 12 (b) Export Notification:CERCLA/SARA Section 302 EHS:
None above the reporting limits.
None above the reporting limits.

CERCLA/SARA Section 311/312: Immediate Health Hazard, Delayed Health Hazard

CERCLA/SARA 313: This product contains the following toxic chemicals subject to

the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR

372). Cumene Hydroperoxide (CAS# 80-15-9).

California Proposition 65: This product contains a chemical known to the State of

California to cause cancer and birth defects or other

reproductive harm.

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the

Domestic Substances List.

WHMIS hazard class: D.2. B



16. OTHER INFORMATION

This MSDS was reviewed and released with new date

ADDITIONAL INFORMATION: The information given and the recommendations made herein apply to our product(s) alone and are not combined with other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guaranty of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.